

ES 800

REVEAL
YOUR
CREATIVITY

 ESSILOR
INSTRUMENTS

 ESSILOR
INSTRUMENTS

REVEAL
YOUR
CREATIVITY



ES 800

ACCELERATED CYCLE TIME¹

-20%

Centering & blocking time is reduced by up to **20%**

-75%

Optical tracing time is reduced by up to **75%**
including drilling hole detection

-19%

Edging time is reduced by up to **19%** through the
implementation of the Fast-Roughing Cycle (FRC)

DECADES OF BUILDING TRUST IN FINISHING

Since 1954, Essilor Instruments has been a pioneer in the finishing industry, serving eye care professionals (ECPs). Essilor Instruments sets the benchmark in finishing performance, quality, innovation and service to ECPs globally through its worldwide network of technical experts.²

ESTM 800 is a compact and easy-to-use in-office finishing system, composed of the ESTM 800 edger and the TCBTM 800 automatic tracer-centerer-blocker (TCB). A hybrid version, ESTM 800M, combining **milling and grinding**, secures the **edging** of slippery or delicate lenses and minimizes axis deviation risks.

Its **state-of-the-art technologies**³ provide unparalleled⁴ edging and customization possibilities. Combined with the **M'Eye CustomTM** web app, you can showcase your **craftsmanship** with unique styles, reinforce your **expertise**, and enhance **the value of your work**.

1-Internal PQV study performed in 2023 - The improvements are demonstrated in a comparison between ESTM 800 and Mr Blue 2.0 finishing systems, for rimmed frames without chamfering or polishing. 2-EssilorLuxottica_DEU_2022 performed in 2022. 3-more details in continuation. 4-As per Internal marketing analysis performed in April 2023 on premium products available on the market. Global Lens Edger Market Report performed by QYResearch in November 2019.

1 OPT FOR THE ULTIMATE EDGING PRECISION

PERFORMING THE MOST DEMANDING CUSTOMIZED MOUNTINGS¹



PERFECT TRACING AND CENTERING

TCB™ 800 automatically harmonizes frame base trajectory and adjusts centering data based on the 3-D parameters, ensuring a right fit. It compensates for any decentrations induced by the frame curvature. A pad positioner helps operators correctly position the pad on the edging block.

FULL HIGH-CURVE TECHNOLOGY²


Avoid risks of breakage up to base 10 for wrap-around frames with a self-adjusting process incorporating a roughing cycle that automatically adapts to the curves of lenses. Optimize bevel placement and shelf depth for safe mounting without undue lens stress.

FIT 4 FRAME 2.0 TECHNOLOGY²

Ensure aesthetic and robust mountings through a diverse array of bevels, FIT 4 FRAME 2.0 TECHNOLOGY accommodates various groove profiles, including both front and back step bevels. Modify the lens shape on 8 different points of its perimeter for extremely precise customization.

2 ENJOY A SUPERIOR USER EXPERIENCE COMBINED WITH A COMFORTABLE HEADS-UP DISPLAY

DID YOU KNOW?



Thanks to TCB™ 800, you can benefit from a large and regularly updated frame library including OMA shape files.

ELEGANT AND COMPACT DESIGN

Discover a sleek modern silhouette with high-quality materials and an ergonomic 12-inch tiltable multi-touch screen heads-up display and enjoy a comfortable navigation experience with 3D views that showcase every detail.

PERSONALIZED INTERACTION

Benefit from personalized device settings for operators using their user profile and the favorites function for quick access to recurring tasks.

EASY-TO-PLAY INTERFACE

Explore a seamless and intuitive interface, making in-office finishing easy and efficient for operators with varying levels of expertise.

¹-Demanding customized mountings require specific parameters such as high base curves and specific bevel profiles, and offer customization options like lens engraving, unique shapes, clip-ons, and crystal pavé. ²-Essilor Instruments gives its utmost importance to develop innovation and protect it with the appropriate patent filing.

INSPIRE CUSTOMERS WITH UNIQUE PERSONALIZED EYEWEAR STYLES¹

WITH ESTM 800 AND ITS M' EYE CUSTOMTM
WEB APP, TAKE A LEAP FORWARD IN LENS
CUSTOMIZATION.

m'eye CUSTOMTM



Engage customers with an interactive shopping experience by allowing them to visualize different lens personalization and enhance their connection to the product.

M' EYE SIGNTM

Engrave your lenses with a personal touch thanks to a library of 400 icons and 20 font options, conveniently categorized in TCBTM 800 for easy selections.

M' EYE SHAPETM

Express your unique style by customizing lens shapes with 100 integrated design options, categorized in 3 themes: Classic, Original and Trendy.



M' EYE CLIPTM

CHEMISTRIE Enhance eyewear versatility by adding a magnetic clip, featuring fully-polarized sun protection

CHEMISTRIE Blue-light filtering

CHEMISTRIE 3D passive technology for movies and television

CHEMISTRIE Plus Optimized reader lenses for small print and writing

CHEMISTRIE M'Eye ClipTM uses the technology of Chemistrie.

M' EYE DIAMOND^{TM 2}

Shine like a diamond. Decorate your lenses by choosing from a range of 20 crystal pavé designs and mix and match with 10 different colors.

1-Unique eyewear styles are made possible thanks to customization options such as lens engraving, creative shapes, clip-ons, and crystal pavement insertion.

2-M'Eye Diamond function available soon.


4 OPTIMIZE AXIS PRECISION

ES™ 800

WITH REAL-TIME CONTROL OF CUTTING FORCES, THE ROUGHING CYCLE AUTOMATICALLY ADAPTS TO THE CURVES OF LENSES UP TO BASE 10.

Giving better prowess and avoiding risks of breakage.

The bevel placement and shelf depth are optimized for safe mounting without undue stress on lenses.



ES™ 800M

RAISE YOUR GAME WITH ABSOLUTE AXIS CONTROL¹ WITH ES™ 800M, THANKS TO ITS HYBRID MILLING AND GRINDING TECHNOLOGY²

DUAL-EDGING TECHNOLOGY

Master very slippery hydrophobic or delicate lenses and minimize axis deviation risks.




ECO-FRIENDLY³

Reduce wet lens waste and unwanted odors with a dry-cut technology, without water.




1-Essilor Instruments gives its utmost importance to develop innovation and protect such innovation with the appropriate patent filing.

2-Milling is available on ES™ 800M. 3-Internal analysis on water consumption performed in 2023.









REVEAL YOUR CREATIVITY FUNCTIONS

 M'Eye Custom™ web app	ES™ 800 combined with TCB™ 800	ES™ 800M combined with TCB™ 800
 M'Eye Sign™ (Engraving)	●	●
 M'Eye Shape™ (Creative shape)	●	●
 M'Eye Clip™ (Chemistrie clip)	●	●
 M'Eye Diamond™ (Crystal pavé)	●	●
 M'Eye SportRx™ (Half Jacket)	NA	●

MASTER YOUR EDGING FEATURES

 Myopia Fit Automatic and Manual centering	●	●
Advanced optical tracing mode for highly complex lens zones and automatic drilling hole detection	●	●
 FULL High Curve™: 3D Binocular mechanical tracing	●	●
 Fit 4 Frame Technology 2.0: Aesthetic and robust mountings in all finishes	●	●
Automatic Centering and Blocking with automatic adjustment of the centering data based on the 3-D parameters of the frame	●	●
Hydrophobic lens management	via Roughing	via Milling
Fast Roughing Cycle (FRC)	●	●
Remote maintenance and software and library updates, including embedded OMA shapes	●	●
Front-side USB stick slot to integrate OMA shapes in a local library	●	●
Job management	●	●

FINISHINGS FEATURES

 Bevel / Flat / Polish / Chamfering	●	●
 Grooving and drilling tilt up to 30°	●	●
 Mixed finishing	●	●
 High-Curve bevel up to wrap 30° base 10	●	●
 Shelf or asymmetric bevel with adjustable height	●	●
 Mini-bevel	●	●
 Step bevel	up to 3 mm depth	up to 5.5 mm depth
 Back step bevel and inclined back step bevel	●	●

OTHER FEATURES

Screen size - TCB and Edger and position	12" / 16:9 — Multitouch tiltable top vertical heads-up display
Dimensions - Edger HxWxD (in) and weight (lbs)	H: 24.6 — W: 23.0 — D: 20.3 — 141 lbs
Dimensions - TCB (Tracer-centerer-blocker) HxWxD (in) and weight (lbs)	H: 23.5 — W: 12.0 — D: 20.3 — 57 lbs
Power consumption and Power supply voltage - TCB (Tracer-centerer-blocker)	250W — 240 - 110 V ~ 60/50 Hz 5-3 A
Power consumption and Power supply voltage - Edger	1350W - 220 - 240 V ~ 60/50 Hz 10 A 2000W - 100 - 120 V ~ 60/50 Hz 12 A



CE

Made in France.

Please read the user manual alternatively.

ES™ 700, ES™ 800, TCB™ 800, Mr Blue 2.0®, Mr Orange®, M'Eye Sign™, M'Eye Shape™, M'Eye Clip™, M'Eye Diamond™, M'Eye Custom™ are trademarks of Essilor International.

ESSILOR INSTRUMENTS USA

8600 W. Catalpa Avenue, Ste. 703
Chicago, IL 60656 USA
(855) 393-4647 | info@essilorinstrumentsusa.com
EssilorInstrumentsUSA.com

